

# Birds of St. Arnaud and District



St. Arnaud Field Naturalists' Club Inc.

St. Arnaud Field Naturalists' Club was formed in 1984 to promote the conservation of biodiversity in the area, enhance awareness and appreciation of our natural heritage and add to and disseminate knowledge of our local environment and its ecosystems.

Over the last 22 years Club members have been active in survey and field work to document species and ecosystems and have been instrumental in the proclamation of many conservation areas, including the new St. Arnaud Range National Park, one of the biggest and most intact of box-ironbark forests remaining in Victoria.

The Club works closely with both Public Lands Stewardship (DSE) and Parks Victoria to achieve the best outcome for biodiversity protection and conservation in our district.

Club members provide consulting and support services for other groups, such as local Landcare groups and provide volunteer labour for other conservation efforts such as the Threatened Species Unit (DSE) and Birds Australia's Atlas of Australian Birds.



White-bellied Cuckoo-shrike (*Anne Hughes*)

# BIRDS OF ST. ARNAUD AND DISTRICT

These species have been observed within a 40km radius of St. Arnaud, which takes in Donald and Charlton to the north, Wedderburn and Mt. Kooyoora to the east, Redbank to the south and Marnoo and Banyena to the west.

Lakes include Buloke, Batyo Catyo, Round, Grassy, Brown's and Nurrumbeet all of which are north-west of St. Arnaud. The Teddington Reservoirs are south of the town. Watercourses include the Avon-Richardson and Avoca Rivers as well as many ephemeral creeks.

The area covers the whole of the new St. Arnaud Range National Park, most of Kooyoora State Park, St. Arnaud Regional Park and a number of Conservation Reserves - Dalyenong, Mt Bolangum, Tottington, Stoney Creek and Stuart Mill.


Compiled from observations made by:

- Club members up until 1993.
- Members of Bird Observers Club of Australia (BOCA) on annual visits.
- Bob Wooley (BW) from 1985-1999, with permission.
- Anne Hughes (AH) from 1982-2006, with permission.

Bird names follow Christidis, L and Boles,W (1994)

*The Taxonomy and Species of Birds of Australia and Its Territories.*

RAOU Monograph No 2. Birds Australia,415 Riversdale Road, Hawthorn East, Vic. 3123



## Key

### Local Abundance

R	- rare
O	- occasional
C	- common
SC	- seasonally common
SU	- status unknown
LE	- locally extinct
RN	- roost at night

### Habitat

L	- lakes
R	- rivers, creeks, watercourses
W	- wetlands, swamps
F	- forests and woodlands
P	- pastures
M	- mallee areas
O	- open plains, grasslands
T	- town areas
G	- gardens
S	- dense shrubs, understorey

### Conservation Status

**Victoria** - Advisory List of Threatened Vertebrate Fauna in Victoria - 2003  
Vic. Department of Sustainability and Environment (DSE)

CE - critically endangered (extremely high risk of extinction in the wild)  
EN - endangered (very high risk of extinction in the wild)  
VU - vulnerable (high risk of extinction in the wild)  
NT - near threatened (likely to qualify for a threatened category as above in the near future)

**Australia** - Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)

CE - critically endangered (as above)  
EN - endangered (as above)  
VU - vulnerable (as above)

### Atlas of Australian Birds

- Birds Australia (BA) gives an historic view of trends in bird populations

D - declining

(statistically significant decline in reporting rate between 1981 and 1999)

NAME		STATUS		
		Local	Vic	Aust
<b>EMU, MOUND BUILDERS, QUAIL</b>				
Emu	<i>Dromaius novaehollandiae</i>	R		
Stubble Quail	<i>Coturnix pectoralis</i>	SC		
Brown Quail	<i>Coturnix ypsilonophora</i>	U	NT	
Malleefowl	<i>Leipoa ocellata</i>	LE	EN	VU
<b>SWANS, GEESE, DUCKS, GREBES</b>				
Plumed Whistling Duck	<i>Dendrocygna eytoni</i>	R		
Freckled Duck	<i>Stictonetta naevosa</i>	U	EN	
Musk Duck	<i>Biziura lobata</i>	O	VU	
Black Swan	<i>Cygnus atratus</i>	O	D	
Australian Shelduck	<i>Tadorna tadornoides</i>	C		
Australian Wood Duck	<i>Chenonetta jubata</i>	C		
Pacific Black Duck	<i>Anas superciliosa</i>	C		
Grey Teal	<i>Anas gracilis</i>	C		
Australasian Shoveller	<i>Anas rhynchos</i>	U	VU	
Chestnut Teal	<i>Anas castanea</i>	C		
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	U	D	
Hardhead	<i>Aythya australis</i>	C	VU	
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	C		
Hoary-headed Grebe	<i>Poliocephalus poliocephalus</i>	R		
Great Crested Grebe	<i>Podiceps cristatus</i>	U		
Magpie Goose	<i>Anseranas semipalmata</i>	R	VU	
<b>GANNETS, CORMORANTS</b>				
Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	C		
Pied Cormorant	<i>Phalacrocorax varius</i>	R	NT	
Great Cormorant	<i>Phalacrocorax carbo</i>	R	D	
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	C		
Australian Pelican	<i>Pelecanus conspicillatus</i>	O		
<b>HERONS, IBIS, SPOONBILLS</b>				
White-faced Heron	<i>Ardea novaehollandiae</i>	C		
White-necked (Pacific) Heron	<i>Ardea pacifica</i>	O		
Cattle Egret	<i>Ardea ibis</i>	R	NT	
Great Egret	<i>Ardea alba</i>	R		
Rufous (Nankeen) Night Heron	<i>Nycticorax caledonicus</i>	O	NT	

**HABITAT & COMMENTS****OBSERVER**

O, possible farm escapee  
O, Spring - Summer  
F  
M

L BOCA  
L  
L  
L  
O, P  
L, S, R, D, P  
L, S, R, D  
L  
L BOCA  
L BW  
L BOCA  
L BW  
L  
L BW  
L BOCA  
O, increasing range again AH 2003

L, S, R, D  
L, S, R  
L, R  
L  
A, O, D, L

A, S, wet pastures  
A, S, wet pastures  
O, P AH, BW  
L BW  
RN

NAME		STATUS		
		Local	Vic	Aust
Glossy Ibis	<i>Plegadis falcinellus</i>	R	NT	
Australian White(Sacred)Ibis	<i>Threskiornis molucca</i>	SC		
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	SC		
Royal Spoonbill	<i>Platalea regia</i>	R	VU	
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	C		
<b>BIRDS OF PREY</b>				
Black-shouldered Kite	<i>Elanus axillaris</i>	SC		
Letter-winged Kite	<i>Elanus scriptus</i>	R		
Black Kite	<i>Milvus migrans</i>	U		
Whistling Kite	<i>Haliastur sphenurus</i>	R		
Brown Goshawk	<i>Accipiter fasciatus</i>	C		
Grey Goshawk	<i>Accipiter novaehollandiae</i>	R	VU	
Grey Goshawk(white morph)	<i>Accipiter novaehollandiae</i>	R		
Collared Sparrowhawk	<i>Accipiter cirrocephalus</i>	C		
Wedge-tailed Eagle	<i>Aquila audax</i>	C		
Little Eagle	<i>Hieraetus morphnoides</i>	C		
Brown Falcon	<i>Falco berigora</i>	C		
Grey Falcon	<i>Falco hypoleucus</i>	R	EN	
Black Falcon	<i>Falco subniger</i>	R	VU	
Spotted Harrier	<i>Circus assimilis</i>	R	NT	
Swamp Harrier	<i>Circus approximans</i>	R		
Australian Hobby	<i>Falco longipennis</i>	C		
Peregrine Falcon	<i>Falco peregrinus</i>	R		
Nankeen Kestrel	<i>Falco cenchroides</i>	C		
Square-tailed Kite	<i>Lophoictinia isura</i>	U		
<b>BROLGAS, CRAKES, RAILS</b>				
Brolga	<i>Grus rubicunda</i>	SC	VU	
Buff-banded Rail	<i>Gallirallus philippensis</i>	R		
Australian Spotted Crake	<i>Porzana fluminea</i>	R		
Baillon's Crake	<i>Porzana pusilla</i>	R	VU	
Purple Swamp-hen	<i>Porphyrio porphyrio</i>	O		
Dusky Moorhen	<i>Gallinula tenebrosa</i>	C	D	
Eurasian Coot	<i>Fulica atra</i>	C		
Black-tailed Native Hen	<i>Gallinula ventralis</i>	SC		

HABITAT & COMMENTS	OBSERVER
L, P, W	BW
O	
O	
L, S, R, D	
L, S, R, D	
O	
O	BW 1993-95
O, towns, rubbish dumps	BW, AH
O	
O, F	
F	AH
F	AH
O, F, R	
O, F, R	
O, F, R	
O, F	
F, R	AH
O	BW
L, O, F	BW, AH
L, R, W	BOCA
O	BW, AH
O	
O	
O	AH 2005
O, W, wet pastures	
W, L, R, reedbeds	AH, BW
L ,dense vegetation, reeds	BW
L, R, W, R, dense vegetation	
L, W, R, D, dense vegetation	
L, W, R, D, dense vegetation	
L, W, R	
L, W, R, D, P, Spring-Summer	

NAME		STATUS		
		Local	Vic	Aust
<b>BUSTARD, BUTTON-QUAIL</b>				
Little Button-quail	<i>Turnix velox</i>	U	N	
Painted Button-quail	<i>Turnix varia</i>	R		
Australian Bustard	<i>Ardeotis australis</i>	R	CE	
<b>WADERS</b>				
Latham's Snipe	<i>Gallinago hardwickii</i>	R	NT	
Curlew Sandpiper	<i>Calidris ferruginea</i>	R		
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	R	D	
Black-winged Stilt	<i>Himantopus himantopus</i>	O	D	
Red-necked Avocet	<i>Recurvirostra novaehollandiae</i>	O		
Bush Stone-curlew	<i>Burhinus grallarius</i>	R	EN	
Black-fronted Dotterel	<i>Charadrius (Elseyornis) melanops</i>	SC		
Banded Lapwing	<i>Vanellus tricolor</i>	SC		
Masked Lapwing	<i>Vanellus miles</i>	C	D	
<b>GULLS, TERNS</b>				
Silver Gull	<i>Larus novaehollandiae</i>	O	D	
Whiskered Tern	<i>Chlidonius hybridus</i>	O	NT	
<b>PIGEONS, DOVES</b>				
Feral Pigeon (Rock Dove) *	<i>Columba livia</i>	C		
Peaceful Dove	<i>Geopelia placida</i>	O		
Common Bronzewing	<i>Phaps chalcoptera</i>	C		
Brush Bronzewing	<i>Phaps elegans</i>	O		
Crested Pigeon	<i>Ocyphaps lophotes</i>	C		
<b>COCKATOOS, PARROTS</b>				
Yellow-tailed Black Cockatoo	<i>Calyptorhynchus funereus</i>	R		
Galah	<i>Cacatua roseicapilla</i>	C		
Long-billed Corella	<i>Cacatua tenuirostris</i>	C		
Little Corella	<i>Cacatua sanguinea</i>	R		
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	C		
Musk Lorikeet	<i>Glossopsitta concinna</i>	SC		
Little Lorikeet	<i>Glossopsitta pusilla</i>	SC		
Purple-crowned Lorikeet	<i>Glossopsitta porphyrocephala</i>	O		
Cockatiel	<i>Nymphicus hollandicus</i>	O		

HABITAT & COMMENTS	OBSERVER
F, O, grassy, rocky areas	BOCA
F, O, grassy, rocky areas	BOCA
O	AH 2003
O, shelter near water	BW, AH 2003
L, mudflats	BW
L, shallow water	BW
L, shallow water	BW
L, W, shallow water	
F, ground litter	
L, R, W, D-margins	
O, pastures, bare areas	
O, pastures	
T, L, rubbish dumps	
L	
T	
F, near water	
F, M, roadsides early morning and evening	
F, M	
T, O, P, roadsides	
F, pines, casuarinas, banksias	AH, BW
A	
O, F	
T, F, R	BW
A	
F, treetops	
F, treetops	
F, treetops	
F, O, Spring	

NAME		STATUS		
		Local	Vic	Aust
Budgerigar	<i>Melopsittacus undulatus</i>	O		
Blue-winged Parrot	<i>Neophema chrysostoma</i>	R		
Red-rumped Parrot	<i>Psephotus haematonotus</i>	C		
Swift Parrot	<i>Lathamus discolor</i>	SC	EN	EN
Crimson Rosella	<i>Platycercus elegans</i>	C		
Eastern Rosella	<i>Platycercus eximius</i>	C		
<b>CUCKOOS</b>				
Pallid Cuckoo	<i>Cuculus pallidus</i>	SC		
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	R		
Horsfield's Bronze Cuckoo	<i>Chrysococcyx basalis</i>	SC		
Shining Bronze Cuckoo	<i>Chrysococcyx lucidus</i>	U		
<b>NIGHT BIRDS</b>				
Barking Owl	<i>Ninox connivens</i>	R	EN	
Southern Boobook	<i>Ninox novaeseelandiae</i>	C		
Barn Owl	<i>Tyto alba</i>	SC		
Powerful Owl	<i>Ninox strenua</i>	R	VU	
Tawny Frogmouth	<i>Podargus strigoides</i>	C		
Australian Owlet-Nightjar	<i>Aegotheles cristatus</i>	O		
<b>SWIFTS, KINGFISHERS</b>				
White-throated Needletail	<i>Hirundapus caudacutus</i>	SC		
Fork-tailed Swift	<i>Apus pacificus</i>	U		
Azure Kingfisher	<i>Alcedo azurea</i>	O NT		
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	C		
Sacred Kingfisher	<i>Todiramphus sanctus</i>	O		
Red-backed Kingfisher	<i>Todiramphus pyrrhopygia</i>	R	NT	
Rainbow Bee-eater	<i>Merops ornatus</i>	SC		
Dollarbird	<i>Eurystomus orientalis</i>	R		
<b>PITTA, LYREBIRD, TREECREEPERS</b>				
White-throated Treecreeper	<i>Cormobates leucophaeus</i>	R		
Brown Treecreeper	<i>Climacteris picumnus</i>	C	NT	

**HABITAT & COMMENTS****OBSERVER**

O, Spring AH, BW

O BW

A AH, BW

F, treetops, Autumn-Winter AH, BW

A AH, BW

) AH, BW

) O, late Winter-Spring AH 2003

F, late Winter-Spring BOCA, AH 2005

O, Spring BOCA, AH 2005

F, Spring BOCA, AH 2005

F, call "wwoof-wwoof", poss LE

F, call "wook-wook"

F, O, call screeching "shairr"

F, call low drawn-out "wooo-hooo"

F, call fast, low "oom oom oom"

F, esp black box woodlands

O, hawks for insects before summer storms AH, BW

O, hawks for insects before summer storms AH,

R, F AH

R, F AH

F AH

F AH

A, hawks for insects AH

F AH

F, extreme northern edge of range BW, AH

F, travels up tree, head up BW, AH

NAME		STATUS		
		Local	Vic	Aust
<b>AUSTRALIAN WRENS, PARDALOTES</b>				
Superb Fairy-wren	<i>Malurus cyaneus</i>	C		
Spotted Pardalote	<i>Pardalotus punctatus</i>	C		
Striated Pardalote	<i>Pardalotus striatus</i>	C		
<b>SCRUBWRENS, ALLIES</b>				
Weebill	<i>Smicromys brevirostris</i>	C		
Western Gerygone	<i>Gerygone fusca</i>	U		
White-throated Gerygone	<i>Gerygone olivacea</i>	R		
Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	C		
Yellow Thornbill	<i>Acanthiza nana</i>	R		
Buff-rumped Thornbill	<i>Acanthiza reguloides</i>	R		
<b>HONEYEATERS</b>				
Red Wattlebird	<i>Anthochaera carunculata</i>	C		
Spiny-cheeked Honeyeater	<i>Acanthagenys rufogularis</i>	U		
Noisy Friarbird	<i>Philemon corniculatus</i>	R		
Little Friarbird	<i>Philemon citreogularis</i>	R		
Regent Honeyeater	<i>Xanthomyza phrygia</i>	R	EN	EN
Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	SC		
Noisy Miner	<i>Manorina melanocephala</i>	C		
Yellow-faced Honeyeater	<i>Lichenostomus chrysops</i>	SC		
Singing Honeyeater	<i>Lichenostomus virescens</i>	SC		
White-eared Honeyeater	<i>Lichenostomus leucotis</i>	SC		
Yellow-tufted Honeyeater	<i>Lichenostomus melanops</i>	SC		
Fuscous Honeyeater	<i>Lichenostomus fuscus</i>	C		
White-plumed Honeyeater	<i>Lichenostomus penicillatus</i>	C	D	
Black-chinned Honeyeater	<i>Melithreptus gularis</i>	C		
Brown-headed Honeyeater	<i>Melithreptus brevirostris</i>	C	D	
White-naped Honeyeater	<i>Melithreptus lunatus</i>	C		
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	C		
White-fronted Honeyeater	<i>Phylidonyris albifrons</i>	R		
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	SC		
<b>CHATS, ROBINS</b>				
White-fronted Chat	<i>Epthianura albifrons</i>	SC		
Jacky Winter	<i>Microeca fascinans</i>	C	D	
Scarlet Robin	<i>Petroica multicolor</i>	SC		
Flame Robin	<i>Petroica phoenicea</i>	SC		
Red-capped Robin	<i>Petroica goodenovii</i>	C		
Eastern Yellow Robin	<i>Eopsaltria australis</i>	O		
Hooded Robin	<i>Melanodryas cucullata</i>	O	NT	
<b>BABBLERS, WHIPBIRDS</b>				
White-browed Babbler	<i>Pomatostomus superciliosus</i>	O		
<b>Addendum Scrubwrens, Allies</b>				
Southern Whiteface	<i>Aphelocephala leucopsis</i>	Common	F, Bulokes	

## HABITAT & COMMENTS

OBSERVER

R, S, G, M, likes heavy understorey  
F, treetops  
F, treetops

F, M, outer leaves of trees	BW
O, M	BOCA
F, farmlands	AH 2004
O, M, casuarinas	
F, acacias	BOCA
F	

M, O, perches on fences  
O, perches on fences  
O, perches on fences  
O, perches on fences  
F, acacias  
F  
O, perches on fences, ground

F, M, understorey esp. acacias

NAME		STATUS		
		Local	Vic	Aust
<b>QUAIL-THRUSHES, ALLIES</b>				
Varied Sittella	<i>Daphoenositta chrysoptera</i>	O		
<b>WHISTLERS, SHRIKE-THRUSHES</b>				
Crested Shrike-tit	<i>Falcunculus frontatus</i>	C	D	
Crested Bell-bird	<i>Oreoica gutturalis</i>	O	NT	
Golden Whistler	<i>Pachycephala pectoralis</i>	O		
Rufous Whistler	<i>Pachycephala rufoventris</i>	SC		
Grey Shrike-thrush	<i>Colluricinclla harmonica</i>	C		
<b>MAGPIE-LARK, FLYCATCHERS</b>				
Restless Flycatcher	<i>Myiagra inquieta</i>	C		
Willie Wagtail	<i>Rhipidura leucophrys</i>	C		
Grey Fantail	<i>Rhipidura fuliginosa</i>	SC		
Magpie-lark	<i>Grallina cyanoleuca</i>	C		
<b>CUCKOO SHRIKES, ORIOLES</b>				
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	C		
White-bellied Cuckoo-shrike	<i>Coracina papuensis</i>	U		
White-winged Triller	<i>Lalage tricolor (sueuri)</i>	R		
Olive-backed Oriole	<i>Oriolus sagittatus</i>	O		
<b>WOODSWALLOWS</b>				
White-breasted Woodswallow	<i>Artamus leucorynchus</i>	U		
Masked Woodswallow	<i>Artamus personatus</i>	SC		
Dusky Woodswallow	<i>Artamus cyanopterus</i>	SC		
White-browed Woodswallow	<i>Artamus superciliosus</i>	SC		
<b>MAGPIE, BUTCHERBIRDS</b>				
Grey Butcherbird	<i>Cracticus torquatus</i>	C		
Australian Magpie	<i>Gymnorhina tibicen</i>	C		
Grey Currawong	<i>Strepera versicolor</i>	C		
<b>RAVENS, MUDNESTERS</b>				
Australian Raven	<i>Corvus coronoides</i>	C		
Little Raven	<i>Corvus mellori</i>	R		
White-winged Chough	<i>Corcorax melanorhamphos</i>	C		
<b>BOWERBIRDS, LARKS, PIPITS</b>				
Singing Bushlark	<i>Mirafr a javanica</i>	R		
Skylark *	<i>Alauda arvensis</i>	SC		
Australian (Richard's) Pipit	<i>Anthus novaeseelandiae</i>	SC		

HABITAT & COMMENTS	OBSERVER
F, treetops, travels head-first down tree	
F F, heard more often than seen F, M, understorey F, M, understorey F, M	
O, F, watercourses A F, Winter-Spring O, near water	
F, O F O, F, Spring F, G, orchards	BOCA, AH AH 2003-04
F A, hawking for insects F, hawking for insects A, hawking for insects	BOCA
F, creeklines, esp St. Arnaud Range A F, roadsides, range increasing	BOCA
A F F	BW
O O, Spring O, Spring-Autumn	

NAME		STATUS		
		Local	Vic	Aust
<b>SPARROWS, FINCHES</b>				
House Sparrow *	<i>Passer domesticus</i>	C		
Zebra Finch	<i>Taeniopygia guttata</i>	R		
Red-browed Finch	<i>Neochmia temporalis</i>	SC		
Diamond Firetail	<i>Stagonopleura guttata</i>	O	VU	
European Goldfinch *	<i>Carduelis carduelis</i>	O		
<b>SUNBIRD, MISTLETOE BIRD</b>				
Mistletoe Bird	<i>Dicaeum hirundinaceum</i>	O		
<b>SWALLOWS</b>				
White-backed Swallow	<i>Cheramoeca leucosternus</i>	R		
Welcome Swallow	<i>Hirundo neoxena</i>	C		
Tree Martin	<i>Hirundo nigricans</i>	U		
Fairy Martin	<i>Hirundo ariel</i>	C		
<b>OLD WORLD WARBLERS, THRUSHES</b>				
Clamorous Reed Warbler	<i>Acrocephalus stentoreus</i>	O		
Golden-headed Cisticola	<i>Cisticola exilis</i>	R		
Little Grassbird	<i>Megalurus gramineus</i>	R		
Silvereye	<i>Zosterops lateralis</i>	O		
Common Blackbird *	<i>Turdus merula</i>	C		
Rufous Songlark	<i>Cincloramphus mathewsi</i>	SC		
Brown Songlark	<i>Cincloramphus cruralis</i>	SC		
<b>MYNA, STARLING</b>				
Common Starling *	<i>Sturnus vulgaris</i>	C		

\* exotic species

**HABITAT & COMMENTS**

T, O, roadsides  
O  
O, S, roadsides near water  
S, grassy areas  
O, shrubs, grassy areas, weeds

areas with mistletoe

T, F  
O, around farm buildings  
F  
O, bridges , culverts


L, R, D with reedbeds  
near water  
near water  
F, T  
T, R  
O, Spring-Summer  
O, Spring-Summer

Orchards, vineyards, urban

**OBSERVER**

BOCA

BW  
BW 1998



## St Arnaud & District Map

### Locations

1. Lake Buloke
2. Lakes - Round, Grassy, Nurrumbeet, Brown's
3. Lake Batyo Catyo
4. Mt. Bolangum Flora and Fauna Reserve
5. Tottington Nature Conservation Reserve (NCR)
6. Redbank NCR
7. Teddington Reservoirs
8. St. Arnaud Range National Park
9. St. Arnaud South State Forest
10. Stuart Mill NCR
11. St. Arnaud Regional park
12. St. Arnaud North State Forest (Hard Hills)
13. Dalyenong NCR
14. Mt. Kooyoora-Melville's Caves

### Key

Highway      

Sealed Road    

Gravel Road    

Forest/Woodland Areas 

### Scale



## **References and Further Reading**

Park Notes - St. Arnaud Range National Park - Parks Victoria and available from:

Northern Grampians Shire Visitor Information Centre,  
4 Napier St.,  
St. Arnaud,  
Vic. 3478.

or      Parks Victoria Information Centre,  
Phone: 13 1963  
[www.parkweb.vic.gov.au](http://www.parkweb.vic.gov.au)

or      DSE, St. Arnaud Office,  
Long St.,  
St. Arnaud,  
Vic 3478.  
Phone: 03 54 951 700

Field Guide to the Birds of Australia      Ken Simpson & Nicolas Day  
Viking,  
Penguin Books,  
P O Box 257,  
Ringwood, Vic. 3134

Field Guide to Australian Birds      Michael Morcombe - 2003  
Steve Parish Publishing,  
P O Box 1158,  
Archerfield,  
Qld. 4108.

Wildlife of the Box-Ironbark Country      Chris Tzaros - 2005  
CSIRO Publishing,  
150 Oxford St., (P O Box 1139)  
Collingwood, Vic. 3066.

Victoria's Box-Ironbark Country - A Field Guide - 2002  
Victorian National Parks Assoc.Inc.,  
Level 3, 60 Leicester St.,  
Carlton, Vic. 3065.

or all good bookshops.

This booklet has been produced by St. Arnaud Field Naturalists Inc. with assistance from the Norman Wettenhall Foundation and Parks Victoria's Community Grants Program.



Grey Fantail (Anne Hughes)

**Additional Birds seen since publication**

**p5 Waders**

Australian Pratincole	<i>Stiltia isabella</i>	Uncommon	Grasslands nr water
Red-kneed Dotterel	<i>Erythrogonyx cinctus</i>	Locally common	Edges of swamps

**p7 Night Birds**

Spotted Nightjar	<i>Eurostopodus argus</i>	Rare	Sites with scattered small trees & heathy understorey
------------------	---------------------------	------	---

**p8 Honeyeaters**

Black Honeyeater	<i>Certhionix niger</i>	Uncommon	Mallee areas
------------------	-------------------------	----------	--------------

**p9 Chats, Robins**

Orange Chat	<i>Epthianura aurifrons</i>	Rare	Mallee areas
-------------	-----------------------------	------	--------------

**Scrubwrens, Allies**

Chestnut-rumped Thornbill	<i>Acanthiza uropygialis</i>	Uncommon	Mallee areas
---------------------------	------------------------------	----------	--------------

**p11 Quail-thrushes, Allies**

Chestnut Quail-thrush	<i>Cinclosoma castanotus</i>	Uncommon	Mallee areas
-----------------------	------------------------------	----------	--------------

Front cover

Top left - Flame Robin - Jane Holt

Top right - Eastern Spinebill - Anne Hughes

Bottom left - Yellow-faced Honeyeater - Anne Hughes

Bottom right - Striated Pardalote - Anne Hughes

Back cover

Superb-Fairy Wren - Anne Hughes

